10

15

20

25

30

35



What is claimed is:

A catalytic antibody capable of degrading cocaine 1. comprising \a light chain wherein the amino acid sequence of complementarity determining region 1 is RSSXGTITXXNYAN (Seq ID No: 73), the amino acid sequence of complementarity determining region 2 is XNNYRPP (Seq ID No: 74) and the amino acid sequence of complementarity determining region 3 is ALWYSNHWV (Seg ID No: 75) and a heavy chain wherein the amino acid sequence of complementarity determining region 1 is DYNMY (Seq In No: 76), the amino acid sequence complementarity determining region YIDPXNGXXFYNOKFXG (Seq ID No. 78) and the amino acid sequence of complementarity determining region 3 is GGGLFAX (Seq ID No: 78).

-102-

- The catalytic antibody of the claim 1, comprising a 2. light chain wherein the amino acid sequence of complementarity determining region RSSTGTITSDNYAN (Seg ID No. 37), the amino acid sequence Complementarity determining region 2 is VNNYRPP (Seq ID No. 38) and the amino acid sequence Complementarity determining region 3 is ALWYSNHWV (Seg ID No. 39) and a heavy chain wherein the amino acid sequence of Complementarity determining region 1 is DYNMY (Seq ID No: 64), the amino acid sequence Complementarity determining region YIDPSNGDTFYNQKFQG (Seq ID No: 65) and the amino acid sequence of Complementarity determining region 3 is GGGLFAF (Seq ID No: 66).
- 3. The catalytic antibody of claim 2, wherein the light chain comprises the amino acid sequence as set forth in Seq ID No:3 and the heavy chain comprises the amino acid sequence as set forth in Seq ID No: 16.

10

15

20

25

-103-

The catalytic antibody of claim 1, comprising a 4. light chain wherein the amino acid sequence of complementarity determining region RSSAGTITTSNYAN (\$eq ID No. 34), the amino acid sequence of complementarity determining region 2 is VNNNRPP (Seq ID Nd. 35) and the amino acid sequence of complementarity determining region 3 is ALWYSNHWV (Seq ID No. 36) and a heavy chain wherein the amino acid sequence of complementarity determining region 1 is DYNMY (Seq ID No: 61), the amino acid sequence Complementarity determining region YIDPHNGGIFYNQKFKG (Seq ID No. 63) and the amino acid sequence of Complementarity determining region 3 is GGGLFAY (Seq ID No : 63).

The catalytic antibody of claim 4, wherein the light 5. chain comprises the amino acid sequence as set forth in Seq ID No:2 and the heavy chain comprises the amino acid sequende as set forth in Seq ID No: 15.

The catalytic antibody of claim 1, comprising a 6. light chain wherein the amino acid sequence of determining region Complementarity RSSTGTITTSNYAN (Seq ID No. 31), the amino acid sequence of Complementarity determining region 2 is INNNRPP (Seq ID No. 32) and the amino acid sequence of Complementarity determining region 3 is ALWYSNHWV (Seq ID No. 33) and a heavy chain wherein the amino acid sequence of the df Complementarity determining region 1 is DYNMY (Seq ID No: 58), the amino acid sequence of Complementarity determining region 2 is YIDPSNGGIFYNQKFKG (Seg ID No: 59) and the amino acid sequence of Complementarity determining region 3 is GGGLFAY (Seq ID No: 60).

30

-104-

The catalytic andibody of claim 6, wherein the light 7. chain comprises the amino acid sequence as set forth in Seg ID No:1 and the heavy chain comprises the amino acid sequence as set forth in Seq ID No: 14.

5

10

A catalytic antibody capable of degrading cocaine comprising a light chain wherein the amino acid sequence of Complementarity determining region 1 is RSSSGTITANNYGS (Seq ID No: 40), the amino acid sequence of Complementarity determining region 2 is VSNNRGP (Seq ID No: 41) and the amino acid sequence of Complementarity determining region 3 is ALWNSNHFV (Seq ID No: 42) and a heavy chain wherein the amino acid sequence of Complementarity determining region 1 is TYYIY (Seq ID No: 67), the amino acid sequence Complementarity determining region GMNPGNGVTYFNEKFKN (Seq ID No: 68) and the amino acid sequence of Complementarity determining region 3 is VGNLFAY (Seq ID No: 69).

20

15

The catalytic antibody of claim 8, wherein the light 9. chain comprises the amino acid sequence as set forth in Seq ID No:4 and the heavy chain comprises the amino acid sequence as set forth in Seq ID No: 18.

25

A catalytic antibody capable of degrading cocaine 10. comprising a light chain wherein the amino acid sequence of Complementarity determining region 1 is RSSXSLLYXDGKTYLN (Seq ID No: 79), the amino acid sequence of Complementarity determining region 2 is 30 LMSTRXS (Seq ID No: 80) \setminus and the amino acid sequence of Complementarity determining region 3 is QXFXXYPFT (Seq ID No: 81) and a heavy chain wherein the amino acid sequence of Complementarity determining region the amino acid 1 is SDYAWX (Seq ID Not: 82), 35 sequence of Complementari $\dot{q}y$ determining region 2 is YIRXXXXTRYNPSLXS (Seq ID No: 83) and the amino acid



sequence of Complementarity determining region 3 is XHYYGXXX (Seq II No: 84).

- The catalytic antibody of claim 10, comprising a light chain whetein the amino acid sequence of 5 determining region Complementarity RSSRSLLYRDGKTYLN (Seq ID No. 19), the amino acid sequence of Complementarity determining region 2 is LMSTRSS (Seq ID No. 20) and the amino acid sequence of Complementarity determining region 3 is QHFVDYPFT 10 (Seq ID No. 21) and a heavy chain wherein the amino acid sequence of Complementarity determining region 1 is SDYAWT (Seq ID No: 46), the amino acid sequence Complementarity determining region YIRHIYGTRYNPSLIS (Seq ID No: 47) and the amino acid 15 sequence of Complementarity determining region 3 is YHYYGSAY (Seq ID No: 48).
- 12. The catalytic antibody of claim 11, wherein the
 light chain comprises the amino acid sequence as set
 forth in Seq ID No: Stand the heavy chain comprises
 the amino acid sequence as set forth in Seq ID No:
- The catalytic antibody of claim 10 comprising a 25 13. light chain wherein the amino acid sequence of region determining Complementarity RSSKSLLYEDGKTYLN (Seq ID No. 22), the amino acid sequence of Complementarity determining region 2 is LMSTRAS (Seq ID No. 23) and the amino acid sequence 30 of Complementarity determining region 3 is QHFEDYPFT (Seq ID No. 24) and a heavy chain wherein the amino acid sequence of Complementarity determining region 1 is SDYAWT (Seq ID No: 49), the amino acid sequence Complementarity determining region 35 YIRHIYGTRYNPSLIS (Seq ID No: 50) and the amino acid sequence of Complementarity determining region 3 is

YHYYGSAY (Seq ID No: 51).

- 14. The catalytic antibody of claim 13, wherein the light chain comprises the amino acid sequence as set forth in Seq ID No:6 and the heavy chain comprises the amino acid sequence as set forth in Seq ID No:
- The catalytic antibody of claim 10, comprising a 15. light chain wherein the amino acid sequence of 10 determining region Complementarity RSSKSLLYEDGKTYLN (Seq ID No. 25), the amino acid sequence of complementarity determining region 2 is LMSTRAS (Seq ID No. 26) and the amino acid sequence of Complementarity determining region 3 is QQFVEYPFT 15 (Seq ID No. 27) and a heavy chain wherein the amino acid sequence of complementarity determining region 1 is SDYAWN (Seq ID No: 52), the amino acid sequence of complementarity determining region YIRYSGITRYNPSLKS (Seq ID No: 53) and the amino acid 20 sequence of complementarity determining region 3 is IHYYGYGN (Seq ID No: 54).
- 16. The catalytic antibody of claim 15, wherein the
 light chain comprises the amino acid sequence as set
 forth in Seq ID No 8 and the heavy chain comprises
 the amino acid sequence as set forth in Seq ID No:
 13.
- 17. The catalytic antibody of claim 10, comprising a light chain wherein the amino acid sequence of Complementarity determining region 1 is RSSRSLLYRDGKTYLN (Seq ID No. 28), the amino acid sequence of complementarity determining region 2 is LMSTRAS (Seq ID No. 29) and the amino acid sequence of complementarity determining region 3 is QHFEDYPFT (Seq ID No. 30) and a heavy chain wherein the amino

10

15

20

25.

acid sequence of complementarity determining region 1 is SDYAWT (Seq ID No: 55), the amino acid sequence complementarity determining region 2 is YIRHIYGTRYNPSLI\$ (Seq ID No: 56) and the amino acid sequence complementarity determining region 3 is YHYYGSAY (Seq ID No: 57).

- 18. The catalytic antibody of claim 17, wherein the light chain comprises the amino acid sequence as set forth in Seq ID No:7 and the heavy chain comprises the amino acid sequence as set forth in Seq ID No: 12.
 - A catalytic antibody capable of degrading cocaine 19. comprising a light chain wherein the amino acid sequence of Complementarity determining region 1 is KSSQSLLYSDGKTYLN (Seq ID No: 43), the amino acid sequence of Complementarity determining region 2 is LVSKLDS (Seq ID No: 44) and the amino acid sequence of Complementarity determining region 3 is VQGYTFPLT (Seq ID No: 45) and a heavy chain wherein the amino acid sequence of Complementarity determining region 1 is DHWMH (Seq ID No: 72), the amino acid sequence determining region complementarity TIDLSDTYTGYNONFKG (Seq ID No: 71) and the amino acid sequence of complementarity determining region 3 is RGFDY (Seq ID No: 72).
- 20. The catalytic antibody of claim 19, wherein the light chain comprises the amino acid sequence as set forth in Seq ID No:9 and the heavy chain comprises the amino acid sequence as set forth in Seq ID No: 17.
- 35 21. A polypeptide comprising a light chain domain with complementarity betermining region 1 having amino acid sequence PSSKGTITXXNYAN (Seq ID No: 73),

10

15

20

25

30

complementarity determining region 2 having amino acid sequence XNNYRPP (Seq ID No: 74) complementarity determining region 3 having amino acid sequence LLWYSNHWV (Seq ID No: 75), interposed between appropriate framework regions, said light chain domain being linked to a heavy chain domain with complementarity determining region 1 having amino acid sequence DYNMY (Seq ID No: 76), complementarity determining region 2 having amino acid sequence YIDPXNGXITYNQKFXG (Seq ID No: 77) and complementarity determining region 3 having amino acid sequence GGCLFAX (Seq ID No: 78) interposed between appropriate tramework regions such that said polypeptide assumes a conformation suitable for degrading cocaine.

The polypeptide of claim 21, wherein the amino acid 22. sequence of the complementarity determining region l of the light chain is RSSTGTITSDNYAN (Seq ID No. 37), the amino acid sequence of the complementarity determining region 2 of the light chain is VNNYRPP (Seq ID No. 38) and the amino acid sequence of the complementarity determining region 3 of the light (Seq ID No. 39) chain is ALWYSNHWV the sequence acid amino corresponding complementarity determining region 1 of the heavy chain is DYNMY (Seq ID No: 64), the amino acid sequence of complementarity determining region 2 of the heavy chain is YIDP NGDTFYNOKFOG (Seq ID No: 65) and complementarity determining region 3 of the heavy chain is GGGLFAF (Seq ID No: 66).

35 23. The polypeptide of claim 22, wherein the light chain domain comprises the amino acid sequence as set forth in Seq ID No:3 and the heavy chain comprises

10

15

20

25

30

35

the amino acid sequence as set forth in Seq ID No:

- The polypeptide of claim 21, wherein the amino acid sequence of the complementarity determining region 1 of the light chain is RSSAGTITTSNYAN (Seq ID No. 34), the amino acid sequence of the complementarity determining region & of the light chain having amino acid sequence is VNNNRPP (Seq ID No. 35) and the complementarity sequence of the acid amino determining region 3 of the light chain is ALWYSNHWV (Seq ID No. 36) and the corresponding amino acid sequence of the complementarity determining region 1 of the heavy chain is DYNMY (Seq ID No: 61), the complementarity sequende the acid of heavy chain is determining region 2 of the YIDPHNGGIFYNQKFKG (Seq\ID No: 62) and the amino acid sequence of the complementarity determining region 3 of the heavy chain is GGGLFAY (Seq ID No: 63).
 - 25. The polypeptide of claim 24, wherein the light chain comprises the amino acid sequence as set forth in Seq ID No:2 and the heavy chain comprises the amino acid sequence as set forth in Seq ID No: 15.
 - The polypeptide of claim 21, wherein the amino acid 26. sequence of the complementarity determining region 1 of the light chain is RSSTGTITTSNYAN (Seq ID No. 31), the amino acid sequence of the complementarity determining region 2 of the light chain is INNNRPP (Seq ID No. 32) and the amino acid sequence of the complementarity determining region 3 of the light and the ID No. 33) chain is ALWYSNHWV (Sea sequence the acid corresponding amino complementarity determining \region 1 of the heavy chain is DYNMY (Seq ID No:\ 58), the amino acid sequence of the complementarity determining region

15

20

25

35

2 is YIDPSNGGIFYNOKFKG (Seq ID No: 59) and the amino acid sequence of the complementarity determining region 3 is GGGLFAY (Seq ID No: 60).

- 5 27. The polypeptide of claim 26, wherein the light chain comprises the amino acid sequence as set forth in Seq ID No:1 and the heavy chain comprises the amino acid sequence as set forth in Seq ID No: 14.
 - A polypeptide comprising a light chain domain with 28. complementarity determining region 1 having amino acid sequence R\$SSGTITANNYGS (Seq ID No: 40), complementarity determining region 2 having amino No: VSNNRGP (Seq ID sequence acid complementarity determining region 3 having amino acid sequence ALWNSNHFV (Seq ID No: 42), interposed between appropriate framework regions, said light chain domain being linked to heavy chain domain with complementarity determining region 1 having amino acid sequence TYYIY (Seq ID No: 67), complementarity determining region 2 having amino acid sequence No: complementarity defermining region 3 having amino acid sequence VGNL AY (Seq ID No: 69) interposed between appropriate framework regions such that the polypeptide assumes a conformation suitable for degrading cocaine.
- 29. The polypeptide of claim 28, wherein the light amino acid sequence as set forth in Seq ID No:4 and the heavy chain comprises the amino acid sequence as set forth in Seq ID No:
 - 30. A polypeptide comprising a light chain domain with complementarity determining region 1 having amino

10

15

20

25

30

35

RSSXSLLYXDGKTYLN (Seq ID No: 79), acid sequence complementarity determining region 2 having amino 80) (Seq TD No: LMSTRXS acid sequence complementarity determining region 3 having amino acid sequence QXXXXYPFT (Seq ID No: 81), interposed between appropriate framework regions, said light chain domain being linked to a heavy chain domain with complementarity determining region 1 having amino acid seguence SDYAWX (Seg ID No: complementarity determining region 2 having amino acid sequence YIRXXXXTRYNPSLXS (Seq ID No: 83) and complementarity determining region 3 having amino acid sequence XHYYGXXX (Seq ID No: 84) interposed between appropriate framework regions such that the polypeptide assumes a conformation suitable for degrading cocaine.

31. The polypeptide of claim 30, wherein the amino acid sequence of the complementarity determining region 1 of the light chain is RSSRSLLYRDGKTYLN (Seq ID No. 19), the amino acid sequence of the complementarity determining region 4 of the light chain is LMSTRSS (Seg ID No. 20) and the amino acid sequence of the complementarity determining region 3 of the light chain is OHFVDYPFT (Seq ID No. 21) the sequence corresponding acid amind complementarity determining region 1 of the heavy chain is SDYAWT (Seq ID No: 46), the amino acid sequence of the complementarity determining region 2 of the heavy chain is YIRHIYGTRYNPSLIS (Seq ID No: sequence amino acid the complementarity determining region 3 of the heavy chain is YHYYGSAY (Seq 1D No: 48).

32. The polypeptide of claim 31, wherein the light chain comprises the amino acid sequence as set

30

35

forth in Seq ID No:5 and the heavy chain comprises the amino acid sequence as set forth in Seq ID No:

- The polypeptide of claim 30, wherein the amino acid 5 sequence of the complementarity determining region 1 of the light chain is RSSKSLLYEDGKTYLN (Seq ID No. 22), the amino acid sequence of the complementarity determining region 2 of the light chain is LMSTRAS (Seq ID No. 23), the amino acid sequence of the 10 complementarity determining region 3 of the light chain is QHFEDYHFT (Seq ID No. 24) corresponding amino acid of the complementarity determining region 1 of the heavy chain is SDYAWT (Seq ID No: 46), the amino acid sequence of the 15 complementarity determining region 2 of the heavy chain is YIRHIYGTRYNPSLIS (Seq ID No: 47) and the complementarity acid sequence of the determining region \$ of the heavy chain is YHYYGSAY (Seq ID No: 48). 20
 - 34. The polypeptide of claim 33, wherein the light chain comprises the amino acid sequence as set forth in Seq ID No:6 and the neavy chain comprises the amino acid sequence as set forth in Seq ID No: 11.
 - The polypeptide of claim 30, wherein the amino acid 35. of the complementarity determining region 1 of the light chain is RSSKSLIYEDGKTYLN (Seq ID No. 25), the complementarity acid sequence the of determining region 2 of the light chain is LMSTRAS (Seq ID No. 26), and the amino acid sequence of the complementarity determining region 3 of the light 27) and the \Seg ID No. chain is QQFVEYPFT corresponding amino actd of the complementarity determining region 1 of the heavy chain is SDYAWN (Seq ID No: 52), the amino acid sequence of the

10

15

20

25

complementarity determining region 2 of the heavy chain is YIRYSGITRYNPSLKS (Seq ID No: 53) and the amino acid sequence of the complementarity determining region 3 of the heavy chain is IHYYGYGN (Seq ID No: 54).

- 36. The polypeptide of claim 35, wherein the light chain comprises the amino acid sequence as set forth in Seq ID No:8 and the heavy chain comprises the amino acid sequence as set forth in Seq ID No: 13.
- The polypeptide of claim 30, wherein the amino acid 37. sequence of the complementarity determining region 1 of the light chain is RSSRSLLYRDGKTYLN (Seq ID No. 28), the amino acid sequence of the complementarity determining region 2 of the light chain is LMSTRAS (Seq ID No. 29), the amino acid sequence of the complementarity determining region 3 of the light (Seq ID No. 30) chain QHFEDYPFT sequence acid amino corresponding complementarity determining region 1 of the heavy See ID No: 55), the amino acid chain is SDYAWT sequence of the complementarity determining region 2 of the heavy chain is YIRHIYGTRYNPSLIS (Seq ID No: acid sequence of the amino complementarity determining region 3 of the heavy chain is YHYYGSAY (Seq ID No: 57).
- 38. The polypeptide of claim 37, wherein the light chain comprises the amino acid sequence as set forth in Seq ID No:7 and the heavy chain comprises the amino acid sequence as set forth in Seq ID No: 12.
- 39. A polypeptide comprising a light chain domain with complementarity determining region 1 having amino acid sequence KSSQSLIYSDGKTYLN (Seq ID No: 43), complementarity determining region 2 having amino

09940727 . D82801

5

10

sequence LVSKLDS (Sea ID No: complementarity determining region 3 having amino acid sequence VQGYTFRLT (Seq ID No: 45), interposed between appropriate framework regions, said light chain domain domain to heavy chain with being linked complementarity determining region 1 having amino acid sequence DHWMH \ (Seq ID No: 72), complementarity determining region 2 having amino acid sequence TIDLSDTYTGYNQNFKG (Seq ID No: 71) and complementarity determining region 3 having amino acid sequence RGFDY (Seq ID No: 72) interposed between appropriate framework regions such that the polypeptide assumes a conformation suitable for degrading cocaine.

- 40. The polypeptide of claim 39, wherein the light chain comprises the amino acid sequence as set forth in Seq ID No:9 and the heavy chain comprises the amino acid sequence as set forth in Seq ID No: 17.
- 41. A DNA encoding the catalytic antibody of any one of claim 1-20.
- 42. A DNA encoding the polypeptide of any one of claim 21-40.

43. A humanized catalytic antibody of any one of claim 1-20.

44. A humanized catalytic single chain antibody of any one of claim 21-40.

45. A pharmaceutical composition for decreasing the concentration of cocaine in a subject which comprises an amount of antibody of any one of claim 1-40 effective to degrade cocaine in the subject and a pharmaceutically acceptable carrier.

35

25



46. A method of decreasing the concentration of cocaine in a subject which comprises administering to the subject an amount of an antibody of any one of claim 1-40 effective to degrade cocaine in the subject.

pul a

DOSHOZEZ DESEGL

- 47. A pharmaceutical composition for treating cocaine overdose in a subject which comprises an amount of antibody of any one of claim 1-40 effective to degrade cocaine in the subject and a pharmaceutical acceptable carrier.
- 48. A method for treating cocaine overdose in a subject which comprises administering to the subject an amount of antibody of any one of claim 1-40 effective to degrade cocaine in a subject and reduce cocaine overdose in the subject.